




Flexible Rental LED Display Solutions

FR Series

Indoor P2.604 | P2.976 | P3.91

Outdoor P3.91

KEY FEATURES



- Each panel supports $\pm 45^\circ$ folding
- Modular design for quick maintenance
- Great compatibility with standard panel
- Multiple installations available
- Detailed image production for rental events



Light weight



Great Creativity & Flexibility



Detailed image production




Curving Capability



Excellent Compatibility



Multiple installations



Flexible Module & Art Cabinet




FR Series flexible rental LED display screen panel is flexible from $+45^\circ$ to -45° with the multifunctional handle. Outshine conventional rental LED panels to create extraordinary and distinctive stage designs easily.

Multiple Installation Available



Case Appreciation





Pixel pitch	2.604mm	2.976mm	3.9mm	3.9mm (Outdoor)
Pixels per cabinet(500*500mm)	192×192 (HxV)	168×168 (HxV)	128×128 (HxV)	128x128(H×V)
LED lifetime	100000Hour			
Brightness	800nits			4500nits
Module size	250*250mm			
Module resolution	96*96dots	84*84dots	64*64dots	64*64dots
Refresh rate	3840-7,680Hz			
Brightness uniformity	>98%			
Dimming	0-100%			
Grey Level	14-16bit			
Curvature	±45°			
Avg Power consumption	170 W/m ²	170 W/m ²	150 W/m ²	200W/m ²
Max Power consumption	480 W/m ²	530 W/m ²	530 W/m ²	600W/m ²
Operation power voltage	100-240V/50-60Hz			
Operational temperature	-20°-+50°			
Operational humidity	10-80%			
IP rating	IP40 for indoor, IP65 for outdoor			
Dimensions	500 x 500 x 80 mm			
Weight	7.25kg			
Serviceability	Rear			



✉ info@xiv-tec.com

📍 Building 4A-303, Huiye Hi-Tech Industry Park,
Fenghuang Str. Guangming District, Shenzhen, China

